



Bid Number/बोली क्रमांक (बिड संख्या):

GEM/2024/B/4759625

Dated/दिनांक : 09-03-2024

**Bid Document/ बिड दस्तावेज़**

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	19-03-2024 20:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	19-03-2024 20:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Maharashtra
Department Name/विभाग का नाम	General Administration Department Maharashtra
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Mahanagar Aurangabad
Total Quantity/कुल मात्रा	77587
Item Category/मद कैटेगरी	Anti A B D Set Blood Group Kit , HBS Ag Kit , VDRL Kit strips for Syphills , Pregnancy Kit , Widal Slide Test , Uristics 100 Strips , Rapid Dengue Kit , Biofix Spray , N 10 HCL , Test Tube 5ml , Glass Rods Staining , EDTA Tube , Plane Tube , Flouride Tube , Distilled Water , Filter Paper , Lens Paper Tissue paper , Slide Box Wooden , Cover Slip Square , Microscopic Glass Slide , HB Tube Square , HB Pipette , Finger prick lancet , Glucometer strips Glucospark , Dispo.Syringes 2 ml , Dispo.Syringes 5 ml , Sodium Hypochloride sol USP , Torniquet Belt , Dispo Dropper 5 ml 3 ml , Urine Container , Glass marker pen
BOQ Title/बीओक्यू शीर्षक	pathology lab kits and Equipment
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	7 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover, Certificate (Requested in ATC), OEM Authorization Certificate, OEM Annual Turnover, Additional Doc 1 (Requested in ATC), Additional Doc 2 (Requested in ATC), Additional Doc 3 (Requested in ATC), Additional Doc 4 (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Anti A B D Set Blood Group Kit
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (x)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	12

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी :

COMMISSIONER  
MEDICAL OFFICER OF HEALTH , HEALTH DEPARTMENT CHHATRAPATI SAMBHAJINAGAR MUNICIPAL CORPORATION  
TOWN HALL, CHHATRAPATI SAMBHAJINAGAR MH  
(Commissioner Chhatrapati Sambhajinagar Municipal Corporation)